


MANAMA

CLOSED REFRIGERATED DISPLAY CABINETS *deep freezers with high glass doors*



TECHNICAL DATA SHEET

January, 2018 Rev 01



SCAcsaCoolTeamSRL
Cluj-Napoca, Jud Cluj, Romania
Tel : +4 0741 231 971

TECHNICAL DATA SHEET


Modules	Unit	2D	3D	4D	5D
DIMENSIONS					
Length of Module <i>without endwall</i>	mm	1562	2343	3124	3905
Thickness of Endwall		50			
Total Display Area (TDA)	m ²	1,57	2,35	3,13	3,92
Display Opening Area		2,40	3,60	4,80	6,00
Net Volume	liter	1359	2038	2718	3397
Depth of the cabinets: 63 (855)					

REFRIGERATION DATA							
Refrigeration Load	3L1	Te: -31°C	W	1040	1560	2080	2600
CLIMATE CLASS 3 : 25° C - 60% RH (in compliance with EN ISO 23953)							
Te: Evaporating Temperature							
All datas are based on 4 levels non-lighting shelves							

REFRIGERATION SELECTION DATA		
Condensing Temperature	°C	+35
Evaporator Superheat	K	10
Subcooling		4

TEMPERATURE CLASSES			
L1	°C	-15	-18

Manama
63.A1



TECHNICAL DATA SHEET

Modules	Unit	2D	3D	4D	5D
DIMENSIONS					
Length of Module <i>without endwall</i>	mm	1562	2343	3124	3905
Thickness of Endwall		50			
Total Display Area (TDA)	m ²	1,73	2,60	3,46	4,33
Display Opening Area		2,65	3,98	5,30	6,63
Net Volume	liter	1485	2228	2971	3714
Depth of the cabinets: 63 (855)					

REFRIGERATION DATA							
Refrigeration Load	3L1	Te: -31°C	W	1125	1685	2250	2810
CLIMATE CLASS 3 : 25° C - 60% RH (in compliance with EN ISO 23953)							
Te: Evaporating Temperature							
All datas are based on 4 levels non-lighting shelves							

REFRIGERATION SELECTION DATA		
Condensing Temperature	°C	+35
Evaporator Superheat	K	10
Subcooling		4

TEMPERATURE CLASSES			
L1	°C	-15	-18

Manama
63.A1.L

